

Chalcophora mariana

From Bugwoodwiki

< [Xylophagus](#)

Jump to: [navigation](#), [search](#)

Csóka, GY., and Kovács, T. 1999. Xylophagous insects. Forest Research Institute. Erdészeti Tuományos Intézet. Agroinform Kiadó, Budapest. 189 pp.

23-32 mm. Eurosiberian species. The larvae live in the wood of recently dead Pinus trees. Beetles can be found from late April until August. Occurs in Transdanubia, where it can be common in older conifer stands.



Navigation menu

Personal tools

- [Log in](#)

Namespaces

- [Archive](#)
- [Discussion](#)

Variants

Views

- [Read](#)
- [View source](#)
- [View history](#)

More

Search

	Search	Go
----------------------	---------------------------------------	-----------------------------------

Integrated Pest Management

- [Legume and Onion PIPE](#)
- [High Plains IPM Guide](#)
- [Northern Plains IPM Guide](#)
- [Southern Nursery IPM](#)

Invasive Species

- [IPED Pest Protocol](#)
- [First Detector Entomology](#)
- [NPDN First Detector Materials](#)
- [Invasipedia](#)

Diagnostics

- [Diagnostician's Cookbook](#)
- [Diagnostic Resources](#)

Save Page

- [Adobe Acrobat](#)
- [Microsoft Word](#)

Tools

- [What links here](#)
- [Related changes](#)
- [Special pages](#)
- [Permanent link](#)
- [Page information](#)

In other languages

- [English](#)
- [magyar](#)

"